

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1. Product identifier

Product Description: **TAE (50X), TRIS + acetate + EDTA**  
Cat No. : **J63931**

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals.  
Uses advised against No Information available

### 1.3. Details of the supplier of the safety data sheet

Company Avocado Research Chemicals Ltd.  
(Part of Thermo Fisher Scientific)  
Shore Road, Heysham  
Lancashire, LA3 2XY,  
United Kingdom  
Office Tel: +44 (0) 1524 850506  
Office Fax: +44 (0) 1524 850608

E-mail address [begel.sdsdesk@thermofisher.com](mailto:begel.sdsdesk@thermofisher.com)

### 1.4. Emergency telephone number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11  
Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99  
**CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

Poison Centre - Emergency information services **Ireland** : National Poisons Information Centre (NPIC) -  
**01 809 2166** (8am-10pm, 7 days a week)  
**Malta** : +356 2395 2000  
**Cyprus** : +357 2240 5611

## SECTION 2: HAZARDS IDENTIFICATION

### 2.1. Classification of the substance or mixture

GHS Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

#### Physical hazards

Based on available data, the classification criteria are not met

#### Health hazards

Skin Corrosion/Irritation

Category 1 (H314) A

# SAFETY DATA SHEET

TAE (50X), TRIS + acetate + EDTA

Revision Date 30-Nov-2024

Serious Eye Damage/Eye Irritation

Category 1 (H318)

## **Environmental hazards**

Based on available data, the classification criteria are not met

Full text of Hazard Statements: see section 16

## **2.2. Label elements**



Signal Word

**Danger**

## **Hazard Statements**

H314 - Causes severe skin burns and eye damage

## **Precautionary Statements**

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P301 + P330 + P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor/physician

## **2.3. Other hazards**

This product does not contain any known or suspected endocrine disruptors

Toxic to terrestrial vertebrates

## **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

### **3.2. Mixtures**

| Component  | CAS No    | EC No     | Weight % | GHS Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567 |
|--|-----------|-----------|----------|---|
| Water  | 7732-18-5 | 231-791-2 | 62.1     | -   |
| Tris (hydroxymethyl) aminomethane                        | 77-86-1   | 201-064-4 | 24       | -   |
| Acetic acid  | 64-19-7   | 200-580-7 | 12       | Flam. Liq. 3 (H226)<br>Skin Corr. 1A (H314)<br>Eye Dam. 1 (H318)                        |
| Ethylenediaminetetraacetic acid, disodium salt dihydrate | 6381-92-6 | 613-386-6 | 1.9      | Acute Tox. 4 (H332)<br>STOT RE 2 (H373)   |

| Component   | Specific concentration limits (SCL's)                                   | M-Factor | Component notes |
|-------------|---|----------|-----------------|
| Acetic acid | Skin Corr. 1A (H314) :: C>=90%<br>Skin Corr. 1B (H314) ::<br>25%<=C<90% | -        | -               |

# SAFETY DATA SHEET

TAE (50X), TRIS + acetate + EDTA

Revision Date 30-Nov-2024

|  |   |  |  |
|--|---|--|--|
|  | Eye Irrit. 2 (H319) ::<br>10%<=C<25%<br>Skin Irrit. 2 (H315) ::<br>10%<=C<25% |  |  |
|--|---|--|--|

Full text of Hazard Statements: see section 16

## SECTION 4: FIRST AID MEASURES

### 4.1. Description of first aid measures

|   |  |
|---|--|
| <b>General Advice</b>                     | Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.  |
| <b>Eye Contact</b>                        | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required.  |
| <b>Skin Contact</b>                       | Wash off immediately with plenty of water for at least 15 minutes. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Call a physician immediately.  |
| <b>Ingestion</b>                          | Do NOT induce vomiting. Clean mouth with water. Never give anything by mouth to an unconscious person. Call a physician immediately.   |
| <b>Inhalation</b>                         | If not breathing, give artificial respiration. Remove from exposure, lie down. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Call a physician immediately. |
| <b>Self-Protection of the First Aider</b> | Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.   |

### 4.2. Most important symptoms and effects, both acute and delayed

Causes burns by all exposure routes. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation

### 4.3. Indication of any immediate medical attention and special treatment needed

**Notes to Physician** Treat symptomatically.

## SECTION 5: FIREFIGHTING MEASURES

### 5.1. Extinguishing media

#### **Suitable Extinguishing Media**

CO<sub>2</sub>, dry chemical, dry sand, alcohol-resistant foam.

#### **Extinguishing media which must not be used for safety reasons**

No information available.

### 5.2. Special hazards arising from the substance or mixture

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating gases and vapors.

# SAFETY DATA SHEET

TAE (50X), TRIS + acetate + EDTA

Revision Date 30-Nov-2024

## Hazardous Combustion Products

Carbon oxides, Nitrogen oxides (NOx), Sodium oxides.

### 5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment as required. Ensure adequate ventilation. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

### 6.2. Environmental precautions

Should not be released into the environment.

### 6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.

### 6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

## SECTION 7: HANDLING AND STORAGE

### 7.1. Precautions for safe handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance.

### Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

### 7.2. Conditions for safe storage, including any incompatibilities

Corrosives area. Keep containers tightly closed in a dry, cool and well-ventilated place.

**Technical Rules for Hazardous Substances (TRGS) 510**      Class 8B  
**Storage Class (LGK) (Germany)**

### 7.3. Specific end use(s)

Use in laboratories

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

ALFAAJ63931

# SAFETY DATA SHEET

TAE (50X), TRIS + acetate + EDTA

Revision Date 30-Nov-2024

## Exposure limits

List source(s): **UK** - EH40/2005 Work Exposure Limits, Fourth edition. Published 2020. **IRE** - 2021 Code of Practice for the Chemical Agents Regulations, Schedule 1. Published by the Health and Safety Authority **EU** - Commission Directive (EU) 2019/1831 of 24 October 2019 establishing a fifth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC and amending Commission Directive 2000/39/EC

| Component   | The United Kingdom   | European Union   | Ireland  |
|-------------|--|--|--|
| Acetic acid | STEL: 37 mg/m <sup>3</sup><br>STEL: 15 ppm<br>TWA: 10 ppm<br>TWA: 25 mg/m <sup>3</sup> | TWA: 25 mg/m <sup>3</sup> (8h)<br>TWA: 10 ppm (8h)<br>STEL: 50 mg/m <sup>3</sup> (15min)<br>STEL: 20 ppm (15min) | TWA: 20 ppm 8 hr.<br>TWA: 50 mg/m <sup>3</sup> 8 hr.<br>STEL: 20 ppm 15 min<br>STEL: 50 mg/m <sup>3</sup> 15 min |

## Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

## Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

See table for values

| Component   | Acute effects local (Oral) | Acute effects systemic (Oral) | Chronic effects local (Oral) | Chronic effects systemic (Oral) |
|---|----------------------------|-------------------------------|------------------------------|---------------------------------|
| Ethylenediaminetetraacetic acid, disodium salt dihydrate<br>6381-92-6 ( 1.9 ) |                            |                               |                              | DNEL = 25 mg/kg                 |

| Component   | Acute effects local (Dermal) | Acute effects systemic (Dermal) | Chronic effects local (Dermal) | Chronic effects systemic (Dermal) |
|---|------------------------------|---------------------------------|--------------------------------|-----------------------------------|
| Tris (hydroxymethyl) aminomethane<br>77-86-1 ( 24 ) |                              |                                 |                                | DNEL = 166.7mg/kg bw/day          |

| Component   | Acute effects local (Inhalation) | Acute effects systemic (Inhalation) | Chronic effects local (Inhalation) | Chronic effects systemic (Inhalation) |
|---|----------------------------------|-------------------------------------|------------------------------------|---------------------------------------|
| Tris (hydroxymethyl) aminomethane<br>77-86-1 ( 24 )                           |                                  |                                     |                                    | DNEL = 117.5mg/m <sup>3</sup>         |
| Acetic acid<br>64-19-7 ( 12 )   | DNEL = 25mg/m <sup>3</sup>       |                                     | DNEL = 25mg/m <sup>3</sup>         |                                       |
| Ethylenediaminetetraacetic acid, disodium salt dihydrate<br>6381-92-6 ( 1.9 ) | DNEL = 3 mg/m <sup>3</sup>       | DNEL = 3 mg/m <sup>3</sup>          | DNEL = 0,6 mg/m <sup>3</sup>       | DNEL = 1,5 mg/m <sup>3</sup>          |

## Predicted No Effect Concentration (PNEC)

See values below.

| Component   | Fresh water      | Fresh water sediment          | Water Intermittent | Microorganisms in sewage treatment | Soil (Agriculture)       |
|---|------------------|-------------------------------|--------------------|------------------------------------|--------------------------|
| Tris (hydroxymethyl) aminomethane<br>77-86-1 ( 24 )                           |                  |                               |                    | PNEC = 300mg/L                     |                          |
| Acetic acid<br>64-19-7 ( 12 )   | PNEC = 3.058mg/L | PNEC = 11.36mg/kg sediment dw | PNEC = 30.58mg/L   | PNEC = 85mg/L                      | PNEC = 0.47mg/kg soil dw |
| Ethylenediaminetetraacetic acid, disodium salt dihydrate<br>6381-92-6 ( 1.9 ) | PNEC = 2,5 mg/l  |                               |                    |                                    | PNEC = 1,1 mg/kg         |

# SAFETY DATA SHEET

TAE (50X), TRIS + acetate + EDTA

Revision Date 30-Nov-2024

| Component   | Marine water         | Marine water sediment               | Marine water intermittent | Food chain | Air |
|---|----------------------|-------------------------------------|---------------------------|------------|-----|
| Acetic acid<br>64-19-7 ( 12 )   | PNEC =<br>0.3058mg/L | PNEC =<br>1.136mg/kg<br>sediment dw |                           |            |     |
| Ethylenediaminetetraacetic acid, disodium salt dihydrate<br>6381-92-6 ( 1.9 ) | PNEC = 0,25 mg/l     |                                     |                           |            |     |

## 8.2. Exposure controls

### Engineering Measures

Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

### Personal protective equipment

**Eye Protection** Goggles (European standard - EN 166)

**Hand Protection** Protective gloves

| Glove material | Breakthrough time | Glove thickness | EU standard | Glove comments        |
|----------------|-------------------|-----------------|-------------|-----------------------|
| Natural rubber | See manufacturers | -               | EN 374      | (minimum requirement) |
| Nitrile rubber | recommendations   |                 |             |                       |
| Neoprene       |                   |                 |             |                       |
| PVC            |                   |                 |             |                       |

**Skin and body protection** Long sleeved clothing.

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatibility, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

**Respiratory Protection** When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.  
To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly

**Large scale/emergency use** Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced  
**Recommended Filter type:** Particulates filter conforming to EN 143

**Small scale/Laboratory use** Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.  
**Recommended half mask:-** Particle filtering: EN149:2001  
When RPE is used a face piece Fit Test should be conducted

**Environmental exposure controls** No information available.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

# SAFETY DATA SHEET

TAE (50X), TRIS + acetate + EDTA

Revision Date 30-Nov-2024

|  |                          |  |
|--|--------------------------|--|
| <b>Physical State</b>                          | Liquid                   |  |
| <b>Appearance</b>                              | Colorless                |  |
| <b>Odor</b>                                    | No information available |  |
| <b>Odor Threshold</b>                          | No data available        |  |
| <b>Melting Point/Range</b>                     | No data available        |  |
| <b>Softening Point</b>                         | No data available        |  |
| <b>Boiling Point/Range</b>                     | No information available |  |
| <b>Flammability (liquid)</b>                   | Not applicable           | Solid                                    |
| <b>Flammability (solid,gas)</b>                | Not applicable           | Liquid                                   |
| <b>Explosion Limits</b>                        | No data available        |  |
| <b>Flash Point</b>                             | No information available | <b>Method -</b> No information available |
| <b>Autoignition Temperature</b>                | No data available        |  |
| <b>Decomposition Temperature</b>               | No data available        |  |
| <b>pH</b>                                      | No information available |  |
| <b>Viscosity</b>                               | Not applicable           | Solid                                    |
| <b>Water Solubility</b>                        | Soluble in water         |  |
| <b>Solubility in other solvents</b>            | No information available |  |
| <b>Partition Coefficient (n-octanol/water)</b> |                          |  |
| <b>Component</b>                               | <b>log Pow</b>           |  |
| Acetic acid                                    | -0.2                     |  |
| <b>Vapor Pressure</b>                          | 23 hPa @ 20 °C           |  |
| <b>Density / Specific Gravity</b>              | No data available        |  |
| <b>Bulk Density</b>                            | Not applicable           | Liquid                                   |
| <b>Vapor Density</b>                           | Not applicable           | Solid                                    |
| <b>Particle characteristics</b>                | Not applicable (liquid)  |  |

## 9.2. Other information

**Evaporation Rate** Not applicable - Solid

## SECTION 10: STABILITY AND REACTIVITY

### 10.1. Reactivity

None known, based on information available

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

**Hazardous Polymerization** No information available.  
**Hazardous Reactions** None under normal processing.

### 10.4. Conditions to avoid

Incompatible products. Excess heat.

### 10.5. Incompatible materials

None known.

### 10.6. Hazardous decomposition products

Carbon oxides. Nitrogen oxides (NOx). Sodium oxides.

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

ALFAAJ63931

# SAFETY DATA SHEET

TAE (50X), TRIS + acetate + EDTA

Revision Date 30-Nov-2024

## Product Information

### (a) acute toxicity;

Oral

Based on available data, the classification criteria are not met

Dermal

Based on available data, the classification criteria are not met

Inhalation

Based on available data, the classification criteria are not met

## Toxicology data for the components

| Component                         | LD50 Oral                 | LD50 Dermal               | LC50 Inhalation       |
|-----------------------------------|---------------------------|---------------------------|-----------------------|
| Water                             | -                         | -                         | -                     |
| Tris (hydroxymethyl) aminomethane | LD50 = 5900 mg/kg ( Rat ) | LD50 > 5000 mg/kg ( Rat ) | -                     |
| Acetic acid                       | 3310 mg/kg ( Rat )        | -                         | > 40 mg/L ( Rat ) 4 h |

(b) skin corrosion/irritation; Category 1 A

(c) serious eye damage/irritation; Category 1

### (d) respiratory or skin sensitization;

Respiratory

No data available

Skin

No data available

(e) germ cell mutagenicity; No data available

(f) carcinogenicity; No data available

There are no known carcinogenic chemicals in this product

(g) reproductive toxicity; No data available

(h) STOT-single exposure; No data available

(i) STOT-repeated exposure; No data available

Target Organs

None known.

(j) aspiration hazard; Not applicable  
Solid

### Symptoms / effects, both acute and delayed

Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation.

## 11.2. Information on other hazards

### Endocrine Disrupting Properties

Assess endocrine disrupting properties for human health. This product does not contain any known or suspected endocrine disruptors.

## SECTION 12: ECOLOGICAL INFORMATION



# SAFETY DATA SHEET

TAE (50X), TRIS + acetate + EDTA

Revision Date 30-Nov-2024

## 12.1. Toxicity

### Ecotoxicity effects

| Component   | Freshwater Fish  | Water Flea         | Freshwater Algae |
|-------------|--|--------------------|------------------|
| Acetic acid | Pimephales promelas: LC50 = 88 mg/L/96h<br>Lepomis macrochirus: LC50 = 75 mg/L/96h | EC50 = 95 mg/L/24h | -                |

| Component   | Microtox  | M-Factor |
|-------------|---|----------|
| Acetic acid | Photobacterium phosphoreum: EC50 = 8.8 mg/L/15 min<br>Photobacterium phosphoreum: EC50 = 8.8 mg/L/25 min<br>Photobacterium phosphoreum: EC50 = 8.8 mg/L/5 min |          |

## 12.2. Persistence and degradability

### Persistence

Soluble in water, Persistence is unlikely, based on information available.

## 12.3. Bioaccumulative potential

Bioaccumulation is unlikely

| Component   | log Pow | Bioconcentration factor (BCF) |
|-------------|---------|-------------------------------|
| Acetic acid | -0.2    | No data available             |

## 12.4. Mobility in soil

The product is water soluble, and may spread in water systems Will likely be mobile in the environment due to its water solubility. Highly mobile in soils

## 12.5. Results of PBT and vPvB assessment

No data available for assessment.

## 12.6. Endocrine disrupting properties

### Endocrine Disruptor Information

This product does not contain any known or suspected endocrine disruptors

## 12.7. Other adverse effects

### Persistent Organic Pollutant Ozone Depletion Potential

This product does not contain any known or suspected substance  
This product does not contain any known or suspected substance

## SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1. Waste treatment methods

#### Waste from Residues/Unused Products

Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.

#### Contaminated Packaging

Dispose of this container to hazardous or special waste collection point.

#### European Waste Catalogue (EWC)

According to the European Waste Catalog, Waste Codes are not product specific, but application specific.

#### Other Information

Waste codes should be assigned by the user based on the application for which the product was used. Do not empty into drains. Do not flush to sewer. Large amounts will affect pH and harm aquatic organisms.

# SAFETY DATA SHEET

TAE (50X), TRIS + acetate + EDTA

Revision Date 30-Nov-2024

## SECTION 14: TRANSPORT INFORMATION

### IMDG/IMO

|   |                          |
|---|--------------------------|
| <b>14.1. UN number</b>                  | UN1760                   |
| <b>14.2. UN proper shipping name</b>    | CORROSIVE LIQUID, N.O.S. |
| <b>Technical Shipping Name</b>          | Acetic acid              |
| <b>14.3. Transport hazard class(es)</b> | 8                        |
| <b>14.4. Packing group</b>              | II                       |

### ADR

|   |                          |
|---|--------------------------|
| <b>14.1. UN number</b>                  | UN1760                   |
| <b>14.2. UN proper shipping name</b>    | CORROSIVE LIQUID, N.O.S. |
| <b>Technical Shipping Name</b>          | Acetic acid              |
| <b>14.3. Transport hazard class(es)</b> | 8                        |
| <b>14.4. Packing group</b>              | II                       |

### IATA

|   |                          |
|---|--------------------------|
| <b>14.1. UN number</b>                  | UN1760                   |
| <b>14.2. UN proper shipping name</b>    | CORROSIVE LIQUID, N.O.S. |
| <b>Technical Shipping Name</b>          | Acetic acid              |
| <b>14.3. Transport hazard class(es)</b> | 8                        |
| <b>14.4. Packing group</b>              | II                       |

|  |                                  |
|--|----------------------------------|
| <b>14.5. Environmental hazards</b>                                   | No hazards identified            |
| <b>14.6. Special precautions for user</b>                            | No special precautions required. |
| <b>14.7. Maritime transport in bulk according to IMO instruments</b> | Not applicable, packaged goods   |

## SECTION 15: REGULATORY INFORMATION

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### International Inventories

China, X = listed, Australia, U.S.A. (TSCA), Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Australia (AICS), Korea (KECL), China (IECSC), Japan (ENCS), Philippines (PICCS), Taiwan (TCSI), Japan (ISHL), New Zealand (NZIoC), Japan (ISHL). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

| Component  | CAS No    | EINECS    | ELINCS | NLP | IECSC | TCSI | KECL     | ENCS | ISHL |
|--|-----------|-----------|--------|-----|-------|------|----------|------|------|
| Water  | 7732-18-5 | 231-791-2 | -      | -   | X     | X    | KE-35400 | X    | -    |
| Tris (hydroxymethyl) aminomethane                        | 77-86-1   | 201-064-4 | -      | -   | X     | X    | KE-01403 | X    | X    |
| Acetic acid  | 64-19-7   | 200-580-7 | -      | -   | X     | X    | X        | X    | X    |
| Ethylenediaminetetraacetic acid, disodium salt dihydrate | 6381-92-6 | -         | -      | -   | X     | X    | -        | X    | -    |

| Component | CAS No    | TSCA | TSCA Inventory notification - Active-Inactive | DSL | NDSL | AICS | NZIoC | PICCS |
|-----------|-----------|------|---|-----|------|------|-------|-------|
| Water     | 7732-18-5 | X    | ACTIVE  | X   | -    | X    | X     | X     |

# SAFETY DATA SHEET

TAE (50X), TRIS + acetate + EDTA

Revision Date 30-Nov-2024

|  |           |   |        |   |   |   |   |   |
|--|-----------|---|--------|---|---|---|---|---|
| Tris (hydroxymethyl) aminomethane                        | 77-86-1   | X | ACTIVE | X | - | X | X | X |
| Acetic acid  | 64-19-7   | X | ACTIVE | X | - | X | X | X |
| Ethylenediaminetetraacetic acid, disodium salt dihydrate | 6381-92-6 | - | -      | X | - | X | X | X |

**Legend:** X - Listed '-' - Not Listed

**KECL** - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)

## Authorisation/Restrictions according to EU REACH

| Component  | CAS No    | REACH (1907/2006) - Annex XIV - Substances Subject to Authorization | REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances | REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC) |
|--|-----------|---|---|---|
| Water  | 7732-18-5 | -   | -   | -   |
| Tris (hydroxymethyl) aminomethane                        | 77-86-1   | -   | -   | -   |
| Acetic acid  | 64-19-7   | -   | Use restricted. See entry 75. (see link for restriction details)              | -   |
| Ethylenediaminetetraacetic acid, disodium salt dihydrate | 6381-92-6 | -   | -   | -   |

### REACH links

<https://echa.europa.eu/substances-restricted-under-reach>

## Seveso III Directive (2012/18/EC)

| Component  | CAS No    | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements |
|--|-----------|---|--|
| Water  | 7732-18-5 | Not applicable  | Not applicable   |
| Tris (hydroxymethyl) aminomethane                        | 77-86-1   | Not applicable  | Not applicable   |
| Acetic acid  | 64-19-7   | Not applicable  | Not applicable   |
| Ethylenediaminetetraacetic acid, disodium salt dihydrate | 6381-92-6 | Not applicable  | Not applicable   |

## Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

## Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)?

Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

Take note of Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values

## National Regulations

**UK** - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

### WGK Classification

Water endangering class = 1 (self classification)

| Component                         | Germany - Water Classification (AwSV) | Germany - TA-Luft Class                                |
|-----------------------------------|---------------------------------------|--|
| Tris (hydroxymethyl) aminomethane | WGK1                                  |  |
| Acetic acid                       | WGK1                                  | Class II : 0.10 g/m <sup>3</sup> (Massenkonzentration) |

ALFAAJ63931

# SAFETY DATA SHEET

TAE (50X), TRIS + acetate + EDTA

Revision Date 30-Nov-2024

|  |      |  |
|--|------|--|
| Ethylenediaminetetraacetic acid, disodium salt dihydrate | WGK2 |  |
|--|------|--|

| Component   | Switzerland - Ordinance on the Reduction of Risk from handling of hazardous substances preparation (SR 814.81) | Switzerland - Ordinance on Incentive Taxes on Volatile Organic Compounds (OVOC) | Switzerland - Ordinance of the Rotterdam Convention on the Prior Informed Consent Procedure |
|---|--|---|---|
| Acetic acid<br>64-19-7 ( 12 )   | Prohibited and Restricted Substances   | Group I   |   |
| Ethylenediaminetetraacetic acid, disodium salt dihydrate<br>6381-92-6 ( 1.9 ) | Prohibited and Restricted Substances   |   |   |

## 15.2. Chemical safety assessment

Chemical Safety Assessment/Reports (CSA/CSR) are not required for mixtures

## SECTION 16: OTHER INFORMATION

### Full text of H-Statements referred to under sections 2 and 3

H314 - Causes severe skin burns and eye damage  
H318 - Causes serious eye damage  
H226 - Flammable liquid and vapor  
H332 - Harmful if inhaled

### Legend

**CAS** - Chemical Abstracts Service

**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

**IECSC** - Chinese Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDL** - Canadian Domestic Substances List/Non-Domestic Substances List

**ENCS** - Japanese Existing and New Chemical Substances

**AICS** - Australian Inventory of Chemical Substances

**NZIoC** - New Zealand Inventory of Chemicals

**WEL** - Workplace Exposure Limit

**ACGIH** - American Conference of Governmental Industrial Hygienists

**DNEL** - Derived No Effect Level

**RPE** - Respiratory Protective Equipment

**LC50** - Lethal Concentration 50%

**NOEC** - No Observed Effect Concentration

**PBT** - Persistent, Bioaccumulative, Toxic

**TWA** - Time Weighted Average

**IARC** - International Agency for Research on Cancer Predicted No Effect Concentration (PNEC)

**LD50** - Lethal Dose 50%

**EC50** - Effective Concentration 50%

**POW** - Partition coefficient Octanol:Water

**vPvB** - very Persistent, very Bioaccumulative

**ADR** - European Agreement Concerning the International Carriage of Dangerous Goods by Road

**IMO/IMDG** - International Maritime Organization/International Maritime Dangerous Goods Code

**OECD** - Organisation for Economic Co-operation and Development

**BCF** - Bioconcentration factor

### Key literature references and sources for data

<https://echa.europa.eu/information-on-chemicals>

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

**ICAO/IATA** - International Civil Aviation Organization/International Air Transport Association

**MARPOL** - International Convention for the Prevention of Pollution from Ships

**ATE** - Acute Toxicity Estimate

**VOC** - (Volatile Organic Compound)

**Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:**

**Physical hazards**

On basis of test data

# SAFETY DATA SHEET

TAE (50X), TRIS + acetate + EDTA

Revision Date 30-Nov-2024

---

|                              |                    |
|------------------------------|--------------------|
| <b>Health Hazards</b>        | Calculation method |
| <b>Environmental hazards</b> | Calculation method |

## Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

|                         |   |
|-------------------------|---|
| <b>Prepared By</b>      | Health, Safety and Environmental Department |
| <b>Revision Date</b>    | 30-Nov-2024                                 |
| <b>Revision Summary</b> | SDS sections updated.                       |

**This safety data sheet complies with Regulation UK SI 2019/758 and UK SI 2020/1577 as amended.**

## Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**